

Programming Principles in Python (CSCI 503/490)

Sets, Comprehensions, and Generators

Dr. David Koop

(some slides adapted from Dr. Reva Freedman)

Dictionary

- AKA associative array or map
- Collection of key-value pairs
 - Keys must be unique
 - Values need not be unique
- Syntax:
 - Curly brackets {} delineate start and end
 - Colons separate keys from values, commas separate pairs
 - `d = { 'DeKalb': 783, 'Kane': 134, 'Cook': 1274, 'Will': 546 }`
- No type constraints
 - `d = { 'abc': 25, 12: 'abc', ('Kane', 'IL'): 123.54 }`

Collections

- A dictionary is **not** a sequence
- Sequences are **ordered**
- Conceptually, dictionaries need no order
- A dictionary is a **collection**
- Sequences are also collections
- All collections have length (`len`), membership (`in`), and iteration (loop over values)
- Length for dictionaries counts number of key-value **pairs**
 - Pass dictionary to the `len` function
 - `d = { 'abc': 25, 12: 'abc', ('Kane', 'IL'): 123.54 }`
`len(d) # 3`

Mutability

- Dictionaries are **mutable**, key-value pairs can be added, removed, updated
- `d = { 'DeKalb': 783, 'Kane': 134, 'Cook': 1274, 'Will': 546 }`
- `d['Winnebago'] = 1023` # add a new key-value pair
- `d['Kane'] = 342` # update an existing key-value pair
- `d.pop('Will')` # remove an existing key-value pair
- `del d['Winnebago']` # remove an existing key-value pair
- `d.update({ 'Winnebago': 1023, 'Kane': 324 })`
- `d.update([ ('Winnebago', 1023), ('Kane', 324) ])`
- `d.update(Winnebago=1023, Kane=324)`

Dictionary Methods

Method	Meaning
<code><dict>.clear()</code>	Remove all key-value pairs
<code><dict>.update(other)</code>	Updates the dictionary with values from <code>other</code>
<code><dict>.pop(k, d=None)</code>	Removes the pair with key <code>k</code> and returns value or default <code>d</code> if no key
<code><dict>.get(k, d=None)</code>	Returns the value for the key <code>k</code> or default <code>d</code> if no key
<code><dict>.items()</code>	Returns iterable view over all pairs as (key, value) tuples
<code><dict>.keys()</code>	Returns iterable view over all keys
<code><dict>.values()</code>	Returns iterable view over all values

Dictionary Methods

Method	Meaning	Mutate
<code><dict>.clear()</code>	Remove all key-value pairs	
<code><dict>.update(other)</code>	Updates the dictionary with values from <code>other</code>	
<code><dict>.pop(k, d=None)</code>	Removes the pair with key <code>k</code> and returns value or default <code>d</code> if no key	
<code><dict>.get(k, d=None)</code>	Returns the value for the key <code>k</code> or default <code>d</code> if no key	
<code><dict>.items()</code>	Returns iterable view over all pairs as (key, value) tuples	
<code><dict>.keys()</code>	Returns iterable view over all keys	
<code><dict>.values()</code>	Returns iterable view over all values	

Iteration

- Even though dictionaries are not sequences, we can still iterate through them
- Principle: Don't depend on order
- ```
for k in d:
 print(k, end=" ")
```
- This only iterates through the **keys!**
- We could get the values:
- ```
for k in d:  
    print('key:', k, 'value:', d[k], end=" ")
```
- ...but this is kind of like counting through a sequence (not pythonic)

Iteration

- `for k in d:` # iterate through keys
 `print(k, end=" ")`
- `for k in d.keys():` # iterate through keys
 `print('key:', k)`
- `for v in d.values():` # iterate through values
 `print('value:', v)`
- `for k, v in d.items():` # iterate through key-value pairs
 `print('key:', k, 'value:', v)`

Dictionary Views

- `for k in d.keys():` `# iterate through keys`
 `print('key:', k)`
- `for v in d.values():` `# iterate through values`
 `print('value:', v)`
- `for k, v in d.items():` `# iterate through key-value pairs`
 `print('key:', k, 'value:', v)`
- `keys()` is superfluous but is a bit clearer
- `items()` is the enumerate-like method

Exercise: Count Letters

- Write code to take a string and return the count of each letter that occurs in a dictionary
- `count_letters('illinois')`
returns {'i': 3, 'l': 2, 'n': 1, 'o': 1, 's': 1}

Exercise: Count Letters

- ```
def count_letters(s):
 d = {}
 for c in s:
 if c not in d:
 d[c] = 1
 else:
 d[c] += 1
 return d
count_letters('illinois')
```



# Exercise: Count Letters

---

- ```
def count_letters(s):  
    d = {}  
    for c in s:  
        d[c] = d.get(c, 0) + 1  
    return d  
count_letters('illinois')
```

Exercise: Count Letters (using collections)

Exercise: Count Letters (using collections)

- ```
from collections import defaultdict
def count_letters(s):
 d = defaultdict(int)
 for c in s:
 d[c] += 1
 return d
count_letters('illinois')
```



# Exercise: Count Letters (using collections)

---

- ```
from collections import defaultdict
def count_letters(s):
    d = defaultdict(int)
    for c in s:
        d[c] += 1
    return d
count_letters('illinois')
```
- ```
from collections import Counter
def count_letters(s):
 return Counter(s)
count_letters('illinois')
```



# Sorting

---

- Order doesn't really mean anything in a dictionary
- There is no `.sort` or `.reverse` method
- We can iterate through items in sorted order using `sorted`
- ```
d = count_letters('illinois')  
for k, v in sorted(d.items()):  
    print(k, ': ', v)
```
- `reversed` also works on dictionary views
- `sorted` and `reversed` work on any iterable (thus all collections)

Assignment 3

- USDA Food Data
- Looking at branded data and nutrition information
- Start with the sample notebook (or copy its code) to download the data
- Data is a list of dictionaries
- Need to iterate through, update, and create new lists & dictionaries
- Part 6 is CSCI 503 students Only, but CSCI 490 students may complete for extra credit

Test 1

- Next Wednesday, Feb. 23
- In-class, 2:00-3:15pm in PM 153
- Format:
 - Multiple Choice
 - Free Response
- More information to be posted online soon

Sets

Sets

- Sets are dictionaries but without the values
- Same curly braces, no pairs
- `s = {'DeKalb', 'Kane', 'Cook', 'Will'}`
- Only one instance of a value is in a set—sets **eliminate duplicates**
- Adding multiple instances of the same value to a set doesn't do anything
- `s = {'DeKalb', 'DeKalb', 'DeKalb', 'Kane', 'Cook', 'Will'}`
 `# {'Cook', 'DeKalb', 'Kane', 'Will'}`
- Watch out for the empty set
 - `s = {}` # not a set!
 - `s = set()` # an empty set

Sets are Mutable Collections

- Sets are **mutable** like dictionaries: we can add, and delete
- Again, no type constraints
 - `s = {12, 'DeKalb', 22.34}`
- Like a dictionary, a set is a **collection** but not a sequence
- Q: What three things can we do for any collection?

Collection Operations on Sets

- `s = { 'DeKalb', 'Kane', 'Cook', 'Will' }`
- Length
 - `len(s) # 4`
- Membership: fast just like dictionaries
 - `'Kane' in s # True`
 - `'Winnebago' not in s # True`
- Iteration
 - `for county in s:
 print(county)`

Mathematical Set Operations

- $s = \{ 'DeKalb', 'Kane', 'Cook', 'Will' \}$
 $t = \{ 'DeKalb', 'Winnebago', 'Will' \}$
- Union: $s \mid t \# \{ 'DeKalb', 'Kane', 'Cook', 'Will', 'Winnebago' \}$
 - Unlike dictionaries, is commutative for sets ($s \mid t == t \mid s$)
- Intersection: $s \& t \# \{ 'DeKalb', 'Will' \}$
- Difference: $s - t \# \{ 'Kane', 'Cook' \}$
- Symmetric Difference: $s \wedge t \# \{ 'Kane', 'Cook', 'Winnebago' \}$
- Object method variants: $s.union(t)$, $s.intersection(t)$,
 $s.difference(t)$, $s.symmetric_difference(t)$
- Disjoint: $s.isdisjoint(t) \# False$

Mutation Operations

- add: `s.add('Winnebago')`
- discard: `s.discard('Will')`
- remove: `s.remove('Will')` # generates `KeyError` if not exist
- clear: `s.clear()` # removes all elements
- Variants of the mathematical set operations (have augmented assignments)
 - update (union): `|=`
 - intersection_update: `&=`
 - difference_update: `-=`
 - symmetric_difference_update: `^=`
- Methods take any **iterable**, operators require **sets**

Comprehensions

Comprehension

- Shortcut for loops that **transform** or **filter** collections
- Functional programming features this way of thinking:
Pass functions to functions!
- Imperative: a loop with the actual functionality buried inside
- Functional: specify both functionality and data as inputs

List Comprehension

- `output = []`
 `for d in range(5):`
 `output.append(d ** 2 - 1)`
- Rewrite as a map:
 - `output = [d ** 2 - 1 for d in range(5)]`
- Can also filter:
 - `output = [d for d in range(5) if d % 2 == 1]`
- Combine map & filter:
 - `output = [d ** 2 - 1 for d in range(5) if d % 2 == 1]`

Comprehensions using other collections

- Comprehensions can use existing collections, too (not just ranges)
- Anything that is **iterable** can be used in the for construct (like for loop)
- `names = ['smith', 'Smith', 'John', 'mary', 'jan']`
- `names2 = [item.upper() for item in names]`

Any expression works as output items

- Tuples inside of comprehension
 - `[(s, s+2) for s in slist]`
- Dictionaries, too
 - `[{'i': i, 'j': j} for (i, j) in tuple_list]`
- Function calls
 - `names = ['smith', 'Smith', 'John', 'mary', 'jan']`
`names2 = [item.upper() for item in names]`

Multi-Level and Nested Comprehensions

- **Flattening** a list of lists

- `my_list = [[1,2,3],[4,5],[6,7,8,9,10]]`
`[v for vlist in my_list for v in vlist]`
- `[1,2,3,4,5,6,7,8,9,10]`

- Note that the for loops are in order

- Difference between **nested** comprehensions

- `[[v**2 for v in vlist] for vlist in my_list]`
- `[[1,4,9],[16,25],[36,49,64,81,100]]`

Comprehensions for other collections

- Dictionaries
 - `{k: v for (k, v) in other_dict.items() if k.startswith('a')}`
 - Sometimes used for one-to-one map inverses
 - How?

Comprehensions for other collections

- Dictionaries
 - `{k: v for (k, v) in other_dict.items() if k.startswith('a')}`
 - Sometimes used for one-to-one map inverses
 - `{v: k for (k, v) in other_dict.items() }`
 - Be careful that the dictionary is actually one-to-one!
- Sets:
 - `{s[0] for s in names}`

Tuple Comprehension?

- `thing = (x ** 2 for x in numbers if x % 2 != 0)`
`thing` # not a tuple! <generator object <genexpr> ...>
- Actually a **generator**!
- This **delays** execution until we actually need each result