

Programming Principles in Python (CSCI 503/490)

Object-Oriented Programming

Dr. David Koop

Classes and Instances in Python

- Class Definition:

```
- class Vehicle:
    def __init__(self, make, model, year, color):
        self.make = make
        self.model = model
        self.year = year
        self.color = color

    def age(self):
        return 2022 - self.year
```

- Instances:

```
- car1 = Vehicle('Toyota', 'Camry', 2000, 'red')
- car2 = Vehicle('Dodge', 'Caravan', 2015, 'gray')
```

Visibility

- In some languages, encapsulation allows certain attributes and methods to be hidden from those using an instance
- public (visible/available) vs. private (internal only)
- Python does not have visibility descriptors, but rather conventions (PEP8)
 - Attributes & methods with a leading underscore (_) are intended as private
 - Others are public
 - You can still access private names if you want but generally **shouldn't**:
 - `print(car1._color_hex)`
 - Double underscores leads to **name mangling**:
`self.__internal_vin` is stored at `self._Vehicle__internal_vin`

Properties

- Properties allow transformations and checks but are accessed like attributes
- getter and setter have same name, but different decorators
- Decorators (`@<decorator-name>`) do some magic
- `@property`

```
def age(self):  
    return 2021 - self.year
```
- `@age.setter`

```
def age(self, age):  
    self.year = 2021 - age
```
- Using property:
- `car1.age = 20`

Exercise

- Create Stack and Queue classes
 - Stack: last-in-first-out
 - Queue: first-in-first-out
- Define constructor and push and pop methods for each

Inheritance

- Is-a relationship: Car is a Vehicle, Truck is a Vehicle
- Make sure it isn't composition (has-a) relationship: Vehicle has wheels, Vehicle has a steering wheel
- Subclass is specialization of base class (superclass)
 - Car is a subclass of Vehicle, Truck is a subclass of Vehicle
- Can have an entire hierarchy of classes (e.g. Chevy Bolt is subclass of Car which is a subclass of Vehicle)
- Single inheritance: only one base class
- Multiple inheritance: allows more than base class
 - Many languages don't support, Python does

Instance Attribute Conventions in Python

- Remember, the naming is the convention
- `public`: used anywhere
- `_protected`: used in class and subclasses
- `__private`: used only in the specific class
- Note that double underscores induce name mangling to strongly discourage access in other entities

Subclass

- Just put superclass(-es) in parentheses after the class declaration
- ```
class Car(Vehicle):
 def __init__(self, make, model, year, color, num_doors):
 super().__init__(make, model, year, color)
 self.num_doors = num_doors

 def open_door(self):
 ...
```
- `super()` is a special method that locates the base class
  - Constructor should call superclass constructor
  - Extra arguments should be initialized and extra instance methods



# Overriding Methods

---

- ```
class Rectangle:  
    def __init__(self, height,  
                  width):  
        self.h = height  
        self.w = width  
  
    def set_height(self, height):  
        self.h = height  
    def area(self):  
        return self.h * self.w
```
- ```
class Square(Rectangle):
 def __init__(self, side):
 super().__init__(side, side)

 def set_height(self, height):
 self.h = height
 self.w = height
```

- ```
s = Square(4)
```
- ```
s.set_height(8)
```

  - Which method is called?
  - Polymorphism
  - Resolves according to inheritance hierarchy
- ```
s.area() # 64
```

 - If no method defined, goes up the inheritance hierarchy until found

Class and Static Methods

- Use `@classmethod` and `@staticmethod` decorators
- Difference: class methods receive class as argument, static methods do not

- ```
class Square(Rectangle):
 DEFAULT_SIDE = 10
 ...

 @classmethod
 def set_default_side(cls, s):
 cls.DEFAULT_SIDE = s

 @staticmethod
 def set_default_side_static(s):
 Square.DEFAULT_SIDE = s
```

# Class and Static Methods

---

- ```
class Square(Rectangle):  
    DEFAULT_SIDE = 10  
  
    def __init__(self, side=None):  
        if side is None:  
            side = self.DEFAULT_SIDE  
        super().__init__(side, side)  
    ...
```
- ```
Square.set_default_side(20)
s2 = Square()
s2.side # 20
```
- ```
Square.set_default_side_static(30)  
s3 = Square()  
s3.side # 30
```

Class and Static Methods

- `class NewSquare(Square):`
 `DEFAULT_SIDE = 100`
- `NewSquare.set_default_side(200)`
 `s5 = NewSquare()`
 `s5.side # 200`
- `NewSquare.set_default_side_static(300)`
 `s6 = NewSquare()`
 `s6.side # !!! 200 !!!`
- Why?
 - The static method sets `Square.DEFAULT_SIDE` not the `NewSquare.DEFAULT_SIDE`
 - `self.DEFAULT_SIDE` resolves to `NewSquare.DEFAULT_SIDE`

Assignment 5

- Due Friday
- Writing a Python Package and Command-Line Tools
- Same food data
- Find by brand and description
- Compare nutrition and ingredients
- [CSCI 503] Filter by category

Quiz Wednesday

Checking type

- We can check the type of a Python object using the `type` method:
 - `type(6) # int`
 - `type("abc") # str`
 - `s = Square(4)`
 - `type(s) # Square`
- Allows comparisons:
 - `if type(s) == Square:`
 `# ...`
- But this is **False**:
 - `if type(s) == Rectangle:`
 `# ...`

Checking InstanceOf/Inheritance

- How can we see if an object is an **instance** of a particular class or whether a particular class is a **subclass** of another?
- Both check is-a relationship (but differently)
- `issubclass(cls1, cls2)`: checks if `cls1` is-a (subclass of) `cls2`
- `isinstance(obj, cls)`: checks if `obj` is-a(n instance of) `cls`
- Note that `isinstance` is `True` if `obj` is an instance of a class that is a subclass of `cls`
 - ```
car = Car('Toyota', 'Camry', 2000, 'red', 4)
isinstance(car, Vehicle) # True
```

# Interfaces

---

- In some languages, can define an abstract base class
  - The structure is defined but **without implementation**
  - Alternatively, some methods are defined abstract, others are implemented
- Interfaces are important for types
  - Method can specify a particular type that can be abstract
  - This doesn't matter as much in Python
- However, Python does have ABCs (Abstract Base Classes)
  - Solution to be able to check for mappings, sequences via `isinstance`, etc.
  - `abc.Mapping`, `abc.Sequence`, `abc.MutableSequence`

# Duck Typing

---

- "If it looks like a duck and quacks like a duck, it must be a duck."
- Python "does not look at an object's type to determine if it has the right interface; instead, the method or attribute is simply called or used"
- ```
class Rectangle:  
    def area(self):  
        ...
```
- ```
class Circle:
 def area(self):
 ...
```
- It doesn't matter that they don't have a common base class as long as they respond to the methods/attributes we expect: `shape.area()`

# Multiple Inheritance

---

- Can have a class inherit from two different superclasses
- HybridCar inherits from Car and Hybrid
- Python allows this!
  - `class HybridCar(Car, Hybrid): ...`
- Problem: how is `super()` is defined?
  - Diamond Problem
  - Python use the **method resolution order** (MRO) to determine order of calls

# Method Resolution Order

---

- The order in which Python checks classes for a method
- `mro()` is a **class** method
- `Square.mro()` # `[__main__.Square, __main__.Rectangle, object]`
- Order of base classes matters:
  - `class HybridCar(Car, Hybrid):`  
    `pass`  
    `HybridCar.mro()` # `[__main__.HybridCar, __main__.Car, __main__.Hybrid, __main__.Vehicle, object]`
  - `class HybridCar(Hybrid, Car):`  
    `pass`  
    `HybridCar.mro()` # `[__main__.HybridCar, __main__.Hybrid, __main__.Car, __main__.Vehicle, object]`

# Operator Overloading

---

- Dunder methods (`__add__`, `__contains__`, `__len__`)

- Example:

```
- class Square(Rectangle):
 ...
 @property
 def side(self):
 return self.h
 def __add__(self, right):
 return Square(self.side + right.side)
 def __repr__(self):
 return f'{self.__class__.__name__}({self.side})'

new_square = Square(8) + Square(4)
new_square # Square(12)
```



# Operator Overloading Restrictions

---

- Precedence cannot be changed by overloading. However, parentheses can be used to force evaluation order in an expression.
- The left-to-right or right-to-left grouping of an operator cannot be changed
- The “arity” of an operator—that is, whether it’s a unary or binary operator—cannot be changed.
- You cannot create new operators—only overload existing operators
- The meaning of how an operator works on objects of built-in types cannot be changed. You cannot change `+` so that it subtracts two integers
- Works only with objects of custom classes or with a mixture of an object of a custom class and an object of a built-in type.

[Deitel & Deitel]



# Ternary Operator

---

- `a = b < 5 ? b + 5 : b - 5`
- Kind of a weird construct, but can be a nice shortcut
- Python does this differently:
- `<value> if <condition> else <value>`
- Example: `absx = x if x >= 0 else -x`
- Reads so that the usual is listed first and the abnormal case is listed last
- "Usually this, else default to this other"