

# Programming Principles in Python (CSCI 503/490)

---

## Object-Oriented Programming

Dr. David Koop

# Program Execution

---

- Direct Unix execution of a program
  - Add the hashbang (`# !`) line as the **first line**, two approaches
    - `#!/usr/bin/python`
    - `#!/usr/bin/env python`
  - Sometimes specify `python3` to make sure we're running Python 3
  - File must be flagged as executable (`chmod a+x`) and have line endings
  - Then you can say: `$ ./filename.py arg1 ...`
- Executing the Python compiler/interpreter
  - `$ python filename.py arg1 ...`
- Same results either way

# Accepting Command-Line Parameters

---

- Parameters are received as a list of strings entitled `sys.argv`
- Need to `import sys` first
- `sys.argv[0]` is the name of the program as executed
  - Executing as `./hw01.py` or `hw01.py` will be passed as different strings
- `sys.argv[n]` is the `n`th argument
- `sys.executable` is the python executable being run

# Modules and Packages

---

- Python allows you to import code from other files, even your own
- A **module** is a collection of definitions
- A **package** is an organized collection of modules
- Modules can be
  - a separate python file
  - a separate C library that is written to be used with Python
  - a built-in module contained in the interpreter
  - a module installed by the user (via conda or pip)
- All types use the same import syntax

# What is the purpose of having modules or packages?

---

- Code reuse: makes life easier because others have written solutions to various problems
- Generally forces an organization of code that works together
- Standardizes interfaces; easier maintenance
- Encourages robustness, testing code
- This does take time so don't always create a module or package
  - If you're going to use a method once, it's not worth putting it in a module
  - If you're using the same methods over and over in (especially in different projects), a module or package makes sense

# Importing modules

---

- `import <module>`
- `import <module> as <another-identifier>`
- `from <module> import <identifier-list>`
- `from <module> import <identifier> as <another-identifier>, ...`
  
- `import` imports from the top, `from ... import` imports "inner" names
- Need to use the qualified names when using import (`foo.bar.mymethod`)
- `as` clause **renames** the imported name

# Using an imported module

---

- Import module, and call functions with **fully qualified** name
  - `import math`  
`math.log10(100)`  
`math.sqrt(196)`
- Import module into current namespace and use **unqualified** name
  - `from math import log10, sqrt`  
`log10(100)`  
`sqrt(196)`



# Using code as a module, too


---

- ```
def main():  
    print("Running the main function")  
main() # now, we're calling main
```
- Generally, when we import a module, we **don't want it to execute code.**
- ```
import my_code # prints "Running the main function"
```
- Whenever a module is imported, Python creates a special variable in the module called `__name__` whose value is the name of the imported module.
- We can change the final lines of our programs to:
  - ```
if __name__ == '__main__':  
    main()
```
- `main()` only runs when the file is run as a script!



# Namespaces

- Namespace is basically a dictionary with names and their values
- Accessing namespaces
  - `__builtins__`, `globals()`, `locals()`
- Examine contents of a namespace:  
`dir(<namespace>)`
- Python checks for a name in the sequence:  
local, enclosing, global, builtins
- To access names in outer scopes, use  
`global` (global) and `nonlocal` (enclosing)  
declarations



[RealPython]

# Assignment 4

---

- Books in Portuguese
- Reading & Writing Files
- Converting quotes
- Counting headers
- String Formatting
- CSCI 503 students convert italics tags (regex)

# Wildcard imports

---

- Wildcard imports import all names (non-private) in the module
- What about
  - `from math import *`
- Avoid this!
  - Unclear which names are available!
  - Confuses someone reading your code
  - Think about packages that define the same names!
- Allowed if republishing internal interface (e.g. in a package, you're exposing functions defined in different modules)

# Import Guidelines (from PEP 8)

---

- Imports should be on separate lines
  - ~~import sys, os~~
  - import sys  
import os
- When importing multiple names from the same package, do use same line
  - from subprocess import Popen, PIPE
- Imports should be at the **top** of the file (order: standard, third-party, local)
- Avoid wildcard imports in most cases

# Conditional or Dynamic Imports

---

- Best practice is to put all imports at the beginning of the py file
- Sometimes, a conditional import is required
  - `if sys.version_info >= [3, 7]:`  
    `OrderedDict = dict`  
    `else:`  
        `from collections import OrderedDict`
- Can also dynamically load a module
  - `import importlib`
  - `importlib.import_module("collections")`
  - The `__import__` method can also be used

# Absolute & Relative Imports

---

- Fully qualified names
  - `import foo.bar.submodule`
- Relative names
  - `import .submodule`
- Absolute imports recommended but relative imports acceptable

# Import Abbreviation Conventions

---

- Some libraries and users have developed particular conventions
- `import numpy as np`
- `import pandas as pd`
- `import matplotlib.pyplot as plt`
- This can lead to problems:
  - `sympy` and `scipy` were both abbreviated `sp` for a while...



# Reloading a Module?

---

- If you re-import a module, what happens?
  - `import my_module`  
`my_module.SECRET_NUMBER # 42`
  - Change the definition of `SECRET_NUMBER` to 14
  - `import my_module`  
`my_module.SECRET_NUMBER # Still 42!`
- Modules are **cached** so they are not reloaded on each import call
- Can reload a module via `importlib.reload(<module>)`
- Be careful because **dependencies** will persist! (Order matters)

# Python Packages

---

- A package is basically a collection of modules in a directory subtree
- Structures a module namespace by allowing dotted names
- Example:
  - test\_pkg/
    - \_\_init\_\_.py
    - foo.py
    - bar.py
    - baz/
      - fun.py
- For packages that are to be executed as scripts, `__main__.py` can also be added

# What's `__init__.py` used for?

---

- Used to be required to identify a Python package (< 3.3)
- Now, only required if a package (or sub-package) needs to run some initialization when it is loaded
- Can be used to specify metadata
- Can be used to import submodule to make available without further import
  - `from . import <submodule>`
- Can be used to specify which names exposed on import
  - underscore names (`_internal_function`) not exposed by default
  - `__all__` list can further restrict, sets up an "interface" (applies to wildcard)

# What is `__main__.py` used for?

---

- Remember for a module, when it is run as the main script, its `__name__` is `__main__`
- Similar idea for packages
- Used as the entry point of a package when the package is being run (e.g. via `python -m`)
  - `python -m test_pkg` runs the code in `__main__.py` of the package

# Example

# Finding Packages

---

- Python Package Index (PyPI) is the standard repository (<https://pypi.org>) and pip (pip installs packages) is the official python package installer
  - Types of distribution: source (sdist) and wheels (binaries)
  - Each package can specify dependencies
  - Creating a PyPI package requires adding some metadata
- Anaconda is a package index, conda is a package manager
  - conda is language-agnostic (not only Python)
  - solves dependencies
  - conda deals with non-Python dependencies
  - has different channels: default, conda-forge (community-led)

# Installing Packages

---

- `pip install <package-name>`
- `conda install <package-name>`
- In Jupyter use:
  - `%pip install <package-name>`
  - `%conda install <package-name>`
- Arguments can be multiple packages
- Be careful! Security exploits using package installation and dependencies (e.g. Alex Birsan)



# Environments

---

- Both pip and conda support environments
  - venv
  - conda env
- Idea is that you can create different environments for different work
  - environment for cs503
  - environment for research
  - environment for each project

# Object-Oriented Programming

# Object-Oriented Programming Concepts

---

- ?

# Object-Oriented Programming Concepts

---

- Abstraction: simplify, hide implementation details, don't repeat yourself
- Encapsulation: represent an entity fully, keep attributes and methods together
- Inheritance: reuse (don't reinvent the wheel), specialization
- Polymorphism: methods are handled by a single interface with different implementations (overriding)

# Object-Oriented Programming Concepts

---

- **Abstraction:** simplify, hide implementation details, don't repeat yourself
- **Encapsulation:** represent an entity fully, keep attributes and methods together
- Inheritance: reuse (don't reinvent the wheel), specialization
- Polymorphism: methods are handled by a single interface with different implementations (overriding)

# Vehicle Example

---

- Suppose we are implementing a city simulation, and want to model vehicles driving on the road
- How do we represent a vehicle?
  - Information (attributes)
  - Methods (actions)

# Vehicle Example

---

- Suppose we are implementing a city simulation, and want to model vehicles driving on the road
- How do we represent a vehicle?
  - Information (attributes): make, model, year, color, num\_doors, engine\_type, mileage, acceleration, top\_speed, braking\_speed
  - Methods (actions): compute\_estimated\_value(), drive(num\_seconds, acceleration), turn\_left(), turn\_right(), change\_lane(dir), brake(), check\_collision(other\_vehicle)



# Other Entities

---

- Road, Person, Building, ParkingLot
- Some of these interact with a Vehicle, some don't
- We want to store information associated with entities in a structured way
  - Building probably won't store anything about cars
  - Road should not store each car's make/model
  - ...but we may have an association where a Road object keeps track of the cars currently driving on it

# Object-Oriented Design

---

- There is a lot more than can be said about how to best define classes and the relationship between different classes
- It's not easy to do this well!
- Software Engineering
- Entity Relationship (ER) Diagrams
- Difference between Object-Oriented Model and ER Model

# Class vs. Instance

---

- A **class** is a blueprint for creating instances
  - e.g. Vehicle
- An **instance** is an single object created from a class
  - e.g. 2000 Red Toyota Camry
  - Each object has its own attributes
  - Instance methods produce results unique to each particular instance

# Classes and Instances in Python

---

- Class Definition:

```
- class Vehicle:
    def __init__(self, make, model, year, color):
        self.make = make
        self.model = model
        self.year = year
        self.color = color

    def age(self):
        return 2023 - self.year
```

- Instances:

```
- car1 = Vehicle('Toyota', 'Camry', 2000, 'red')
- car2 = Vehicle('Dodge', 'Caravan', 2015, 'gray')
```

# Test 1