

# Data Visualization (CSCI 627/490)

---


## Aggregation & Focus+Context

Dr. David Koop


# Overview: Reducing Items & Attributes

## ➔ Filter

➔ Items




➔ Attributes




## ➔ Aggregate

➔ Items




➔ Attributes



[Munzner (ill. Maguire), 2014]




# Item Filtering on Maps




[J. White, New York Times]




# Attribute Filtering on Star Plots




(a)



(b)



(c)




(d)

[Yang et al., 2003]



# Aggregation: Histograms




- Very similar to bar charts
- Often shown without space between (continuity)
- Choice of number of bins
  - Important!
  - Viewers may infer different trends based on the layout


[Munzner (ill. Maguire), 2014]

# Binning


- 2D Histogram is a histogram in 2D encoded using color instead of height
- Hexbin advantages:
  - Bins are more circular so distance to the edge is not as variable
  - More efficient aggregation around the center of the bin



Scatterplot



Rectangular Bin



Hexagonal Bin

# Spatial Aggregation




[Penn State, GEOG 486]




# Boxplots

- Show **distribution**
- Single value (e.g. mean, max, min, quartiles) doesn't convey everything
- Created by John Tukey
- Show **spread** and **skew** of data
- Best for **unimodal** data
- Variations like vase plot for multimodal data
- Aggregation here involves many different marks



# Four Distributions, Same Boxplot...



[C. Choonpradub and D. McNeil, 2005]

# Project Design

---


- Feedback:
  - Data Manipulation?
  - Questions lead, not technique!
  - Be creative! (interaction too) <https://xeno.graphics>
- Work on turning your visualization ideas into designs
- Turn in:
  - Two Design Sketches (like sheets 2-4 from 5 Sheet Design)
  - One Bad Design Sketch (like sheets 2-4: here, justify why bad)
  - Progress on Implementation
- Due Friday



# Assignment 5

---


- Map of Citi Bike trips
  - Multiple Views
  - Linked Highlighting
  - Filtering
  - Aggregation
- Due Monday, Nov. 23



# Linked Highlighting Example

# K-Means

---




Run


[C. Polis, 2014]



# K-Means Issues



Shape



Number of Clusters


[D. Robinson, 2015]

# Dimensionality Reduction

---

- Attribute Aggregation: Use fewer attributes (dimensions) to represent items
- Combine attributes in a way that is more instructive than examining each individual attribute
- Example: Understanding the language in a collection of books
  - Count the occurrence of each non-common word in each book
  - Huge set of features (attributes), want to represent each with an aggregate feature (e.g. high use of "cowboy", lower use of "city") that allows clustering (e.g. "western")
  - Don't want to have to manually determine such rules
- Techniques: Principle Component Analysis, Multidimensional Scaling family of techniques


# Principle Component Analysis (PCA)



[M. Scholz, CC-BY-SA 2.0]





# PCA




[Principle Component Analysis Explained, Explained Visually, V. Powell & L. Lehe, 2015]

# 17 dimensions to 2



[Principle Component Analysis Explained, Explained Visually, V. Powell & L. Lehe, 2015]


# Non-linear Dimensionality Reduction



[M. Scholz, CC-BY-SA 2.0]




# Dimensionality Reduction in Visualization



[Glimmer, Ingram et al., 2009]




# Tasks in Understanding High-Dim. Data



[Munzner (ill. Maguire), 2014]

# Probing Projections



[J. Stahnke et al., 2015]


# Probing Projection Goals

---

- Examining the Projection
- Exploring the Data
- Design Goals:
  - Show and correct approximation errors
  - Allow for multi-level comparisons
  - Spatial orientation
  - Consistent design
- Allow **grouping** of samples
  - Selections
  - Classes
  - Clusters

[J. Stahnke et al., 2015]

# Tooltips with statistics











[J. Stahnke et al., 2015]



# Comparing Two Groups


**South America** 3 samples

**Northern Europe** 9 samples

	MEAN	DENSITY
Educational attainment	50 77	
Employees working ve...	18 6.2	
Life expectancy	75 81	
Life satisfaction	7.1 7.4	
Self-reported health	65 77	
Student skills	420 500	
Time devoted to leisur...	14 15	
Years in education	16 19	


[J. Stahnke et al., 2015]

# Heatmap from Dimension Hover




[J. Stahnke et al., 2015]

# Showing Error via Sample-centric Halos



[J. Stahnke et al., 2015]

# Showing Projection Errors



[J. Stahnke et al., 2015]



# User Study & Results

---

- Types of Questions:
  - How would you try to characterize the type X?
  - In what way are X and Y different in their properties?
  - Are the projections of X and Y correct or do they deviate? How do you interpret this?
  - Can you discover which parts of the cluster combinations are A, B, and C?
- Discussion:
  - Learnability: need more effective mechanisms for grasping the concepts behind dimensionality reduction
  - Manipulation: What happens with results?
  - Large data: What about text corpora?

[J. Stahnke et al., 2015]

# Focus+Context

---

- Show everything at once but compress regions that are not the current focus
  - User shouldn't lose sight of the overall picture
  - May involve some aggregation in non-focused regions
  - "Nonliteral navigation" like semantic zooming
- Elision
- Superimposition: more directly tied than with layers
- Distortion


# Focus+Content Overview

## ➔ Embed


### ➔ Elide Data



### ➔ Superimpose Layer



### ➔ Distort Geometry




## Reduce

### ➔ Filter



### ➔ Aggregate



### ➔ Embed



[Munzner (ill. Maguire), 2014]

# Elision

---

- There are a number of examples of elision including in text , DOI Trees, ...
- Includes both filtering and aggregation but goal is to give overall view of the data
- In visualization, usually correlated with focus regions




# Degree of Interest Function

---

- $DOI = I(x) - D(x,y)$ 
  - $I$ : interest function
  - $D$ : distance (semantic or spatial)
  - $x$ : location of item
  - $y$ : current focus point (could be more than one)
- Interactive:  $y$  changes

# Elision: DOI Trees

- Example: 600,000 node tree
  - Multiple foci (from search results or via user selection)
  - Distance computed topologically (levels, not geometric)




[Heer and Card, 2004]

# Superimposition


---

- Different from layers because this is restricted to a particular region
  - For Focus+Context, superimposition is **not global**
  - More like overloading
- Lens may occlude the layer below

# Superimposition with Interactive Lenses



(a) Alteration




(b) Suppression

[ChronoLenses and Sampling Lens in Tominski et al., 2014]




# Superimposition with Interactive



(c) Enrichment

[Extended Lens in Tominski et al., 2014]

# Distortion




[M. Bostock]

# Distortion Choices

---

- How many focus regions? One or Multiple
- Shape of the focus?
  - Radial
  - Rectangular
  - Other
- Extent of the focus
  - Constrained similar to magic lenses
  - Entire view changes
- Type of interaction: Geometric, moveable lenses, rubber sheet


# Overplotting



[M. Bostock]




# Cartesian Distortion




[M. Bostock]

# Cartesian Distortion



[M. Bostock]


# Stretch and Squish Navigation



[McLachlan et al., 2008]



# Fisheye Distortion in Programming




```
FastDateFormat.java X
66 public class FastDateFormat extends Format {
    571 protected List parsePattern() {
    572     String[] ERAs = symbols.getERAs();
    573     String[] months = symbols.getMonths();
    574     String[] shortMonths = symbols.getShortMonths();
    585     for (int i = 0; i < length; i++) {
    590         int tokenLen = token.length();
    595         Rule rule;
    596         char c = token.charAt(0);
    597
    598         switch (c) {
    599             case 'G': // era designator (text)
    600                 rule = new TextField(Calendar.ERA, ERAs);
    601                 break;
    602             case 'y': // year (number)
    603                 if (tokenLen >= 4) {
    604                     rule = selectNumberRule(Calendar.YEAR, tokenLen);
    605                 } else {
    606                     rule = TwoDigitYearField.INSTANCE;
    607                 }
    608                 break;
    609             case 'M': // month in year (text and number)
    610                 if (tokenLen >= 4) {
    611                     rule = new TextField(Calendar.MONTH, months);
    612                 } else if (tokenLen == 3) {
    613                     rule = new TextField(Calendar.MONTH, shortMonths);
    614                 } else if (tokenLen == 2) {
    620                 case 'd': // day in month (number)
    623                 case 'h': // hour in am/pm (number, 1..12)
    626                 case 'H': // hour in day (number, 0..23)
    629                 case 'm': // minute in hour (number)
    632                 case 's': // second in minute (number)
    635                 case 'S': // millisecond (number)
    638                 case 'E': // day in week (text)
    641                 case 'D': // day in year (number)
    642                 case 'F': // day of week in month (number)
    643                 case 'w': // week in year (number)
    644                 case 'W': // week in month (number)
    760 protected NumberRule selectNumberRule(int field, int padding) {
```

[Jakobsen and Hornbaek, 2011]



# Distortion vs. Hide



```
12 package org.eclipse.nebula.widgets.gallery;
37 public class DefaultGalleryItemRenderer extends Abs
41     boolean dropShadows = false;
78     public void draw(GC gc, GalleryItem item, int i
95         if (itemImage != null) {
100             size = getBestSize(imageWidth, imageHeigh
101
102             xShift = (width - size.x) >> 1;
103             yShift = (useableHeight - size.y) >> 1;
104
105             if (dropShadows) {
106                 Color c = null;
107                 for (int i = this.dropShadowsSize - 1
108                     c = (Color) dropShadowsColors.get
109                     gc.setForeground(c);
110
111                 gc.drawLine(x + width + i - xShif
112                 gc.drawLine(y + yShift + dropShad
113             }
114         }
115     }
152 }
154 public void setDropShadowsSize(int dropShadowsS
```

[Jakobsen and Hornbaek, 2011]

# Research Questions

---

- Is a priori importance useful (and for what)?
- What does the user focus on?
  - predictability of view changes when focus changes
  - how direct user control is
  - task & context
- What interesting information should be displayed
  - degree of interest function may produce varied result sizes
- Do fisheye views integrate or disintegrate?
  - interference with other interactions; allow on-demand use?
- Are fisheye views suitable for large displays?

[Jakobsen and Hornbaek, 2011]

# Distortion Concerns

---

- Distance and length judgments are **harder**
  - Example: Mac OS X Dock with Magnification
  - Spatial position of items changes as the focus changes
- Node-link diagrams not an issue... why?
- Users have to be made aware of distortion
  - Back to scatterplot with distortion example
  - Lenses or shading give clues to users
- **Object constancy**: understanding when two views show the same object
  - What happens under distortion?
  - 3D Perspective is distortion... but we are well-trained for that
- Think about **what** is being shown (filtering) and method (fisheye)