# Advanced Data Management (CSCI 640/490)


Data Curation

Dr. David Koop




# Spatial Data


Measure vegetation density




Measure snow melt



Track hurricanes




Track phytoplankton populations






### Interactive Exploration of Spatial Data






### Interactive Exploration of Spatial Data



# Two Inputs to Exploratory Browsing




Cold start time


interaction latency < 500ms



# Systems for Interactive Exploration



#### Nanocubes



Linked view of tweets in San Diego, US

[Lins et. al, 2013]




# From Tables and Spreadsheets to Data Cubes

- A data warehouse is based on a multidimensional data model which views data in the form of a data cube
- A data cube, such as sales, allows data to be modeled and viewed in multiple dimensions
  - **Dimension tables**, such as item (item\_name, brand, type), or time(day, week, month, quarter, year)
  - Fact table contains measures (such as dollars\_sold) and keys to each of the related dimension tables
- In data warehousing literature, an n-D base cube is called a **base cuboid**. The top most 0-D cuboid, which holds the highest-level of summarization, is called the **apex cuboid**. The lattice of cuboids forms a **data cube**.

[Han et al., 2011]

#### Data Cube: A Lattice of Cuboids




### Data Cube Measures: Three Categories


- **Distributive**: if the result derived by applying the function to n aggregate values is the same as that derived by applying the function on all the data without partitioning
  - E.g., count(), sum(), min(), max()
- **Algebraic**: if it can be computed by an algebraic function with M arguments (where M is a bounded integer), each of which is obtained by applying a distributive aggregate function
  - E.g., avg(), min\_N(), standard\_deviation()
- Holistic: if there is no constant bound on the storage size needed to describe a subaggregate.
  - E.g., median(), mode(), rank()

[Han et al., 2011]

# A Sample Data Cube



# OLAP Operations



[Han et al., 2011]

# Data Cube Aggregations

Relation	A

Country	Device	Language
US	Android	en
US	iPhone	ru
South Africa	iPhone	en
India	Android	en
Australia	iPhone	en

В

#### Aggregation

Country	Device	Language	Count
All	All	All	5

#### Group By on Device, Language C

Country	Device	Language	Count
All	Android	en	2
All	iPhone	en	2
All	iPhone	ru	1

#### Cube on Device, Language


Country	Device	Language	Count
All	All	All	5
All	Android	All	2
All	iPhone	All	3
All	All	en	4
All	All	ru	1
All	iPhone	ru	1
All	Android	en	2
All	iPhone	en	2

Equivalent to Group By on all possible subsets of {Device, Language}


[Lins et. al, 2013]



# Building a Nanocube



#### Beast Architecture



[A. Eldawy, 2021] Northern Illinois University

#### Beast Architecture

3 E A ST

Big
Spatial
Data
Apps

Visualization Framework

RDD-based Query Processor

Spatial Partitioner & Load Balancer


In-situ Spark Loaders/Writers

Spatial Data Types

[A. Eldawy, 2021]



# Beast Spatial Data Types







Feature

[A. Eldawy, 2021]




# Beast Partitioning/Indexing & Range Query






# Beast Spatial Join

#### Join Directly



Total of 36 overlapping pairs

Partition – Join



Only 16 overlapping pairs

[A. Eldawy, 2021]

#### Assignment 5

- US Flight Data
- Spatial, Graph, and Temporal Data Processing
- Use polars, geopandas, neo4j
- Due end of semester

#### Data Curation

Why?

# Big Data, Little Data, or No Data?

Why Human Interaction with Data is a Hard Problem

C. L. Borgman

#### What is data and why share it?

 "Data are representations of observations, objects, or other entities used as evidence of phenomena for the purposes of research or scholarship."
 [C. L. Borgman]

- Data can be digital but can also be physical (e.g. sculptures)
- Semantics are important (e.g. temperature to engineer and biologist)
- Grey Data: surveys, student records—think about privacy
- Sharing Data
  - Required/encouraged by universities, funding agencies, publishers
  - "Publications are arguments made by authors, and data are the evidence used to support the arguments." [C. L. Borgman]

#### Data attribution and citation

- Publications are counted, authorship is negotiated
- For data:
  - Often compound
  - Ownership is rarely clear
  - Attribution?
  - What about derived data?
- Bibliometrics and Altmetrics


### Data Identity

- Identifiers: DOIs, URIs
- Naming and namespaces: ORCID, KEGG Identifier
- Description: Metadata, Self-describing

#### Data Persistence

- How long should this data be kept?
  - Perishable
  - Long-lived
  - Permanent
- Who is responsible for keeping the data?
  - Scientists/investigators?
  - Publishers?
  - Librarians?
- Privacy should be considered from the beginning

# Data Curation Lifecycle



# Data (Digital Objects or Databases)

 Data, any information in binary digital form, is at the centre of the Curation Lifecycle. This includes:

#### - Digital Objects

- Simple Digital Objects are discrete digital items; such as textual files, images or sound files, along with their related identifiers and metadata.
- Complex Digital Objects are discrete digital objects, made by combining a number of other digital objects, such as websites.
- **Databases**: Structured collections of records or data stored in a computer system.



### Full Lifecycle Actions

- Description and Representation Information: Assign metadata, using appropriate standards, to ensure adequate description and control
- Preservation Planning: Plan for preservation throughout the curation lifecycle of digital material
- Community Watch and Participation: Watch standards, tools, software.
- Curate and Preserve: Promote curation and preservation throughout the curation lifecycle



#### Sequential Actions

- Conceptualize: Plan creation of data—capture method and storage options.
- Create or Receive: Create/receive data and make sure metadata exists
- Appraise and Select: Evaluate data and select for long-term curation and preservation
- Ingest: Transfer data to an archive, repository, data centre or other custodian
- Preservation Action: Data cleaning, validation (ensure that data remains authentic, reliable and usable)
- Store: Store the data in a secure manner adhering to relevant standards
- Access, Use and Reuse: Make sure is accessible to users and reusers
- Transform: Create new data from the original (migrate formats, subsets, etc.)



#### Occasional Actions

- Dispose: Transfer to another archive or perhaps destroy data
- Reappraise: Return data which fails validation procedures for further appraisal and reelection
- Migrate: Migrate data to a different format—ensure the data's immunity from hardware or software obsolescence



# The FAIR Guiding Principles for Scientific Data Management and Stewardship

M. D. Wilkinson et al.

# Who and Why?

- Who: People from academia, industry, funding agencies, & scholarly publishers
- Why?
  - Data management leads to knowledge discovery, innovation, and reuse
  - Existing digital ecosystem prevents maximum benefit
  - Need to specify what "good" data management/curation/stewardship is
  - Enhance the ability of machines to automatically find and use the data
  - Principles should also apply to tools

#### FAIR Principles

- Findable: Metadata and data should be easy to find for both humans and computers
- Accessible: Users need to know how data can be accessed, possibly including authentication and authorization
- Interoperable: Can be integrated with other data, and can interoperate with applications or workflows for analysis, storage, and processing
- Reusable: Optimize the reuse of data. Metadata and data should be welldescribed so they can be replicated and/or combined in different settings

#### To be Findable


- F1. (Meta)data are assigned a globally unique and persistent identifier
- F2. Data are described with rich metadata (defined by R1)
- F3. Metadata clearly and explicitly include the identifier of the data it describes
- F4. (Meta)data are registered or indexed in a searchable resource

#### DataCite Workflow

#### 1. Take a dataset

#### 2. Describe it

#### 3. Assign a DOI





10.1234/exampledata

#### 4. Reuse and reference!

ATLAS Collaboration, "Data from Figure 7 from: Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC:  $H \to \gamma\gamma$ ," http://doi.org/10.7484/INSPIREHEP.DATA.A78C.HK44





#### 5. Enjoy the benefits

Findability

Track citations

Reusability

Measure impact

[DataCite]



# Digital Object Identifier

Name: Proxy + Prefix + Suffix



- Metadata: description of the object
- URL: resolves to a digital location, which contains object's details

#### DataCite Metadata

<b>Mandatory Properties</b>	Details
Identifier	with mandatory type sub-property
Creator	with optional name identifier and affiliation sub-properties
Title	with optional type sub-properties
Publisher	
PublicationYear	
ResourceType	with mandatory general type description sub-property

Recommended Properties	Details
Subject	with scheme sub-property
Contributor	with type, name identifier, and affiliation sub-properties
Date	with type sub-property
RelatedIdentifier	with type and relation type sub-properties
Description	with type sub-property
GeoLocation	with point, box, and polygon sub-properties


<b>Optional Properties</b>
Language
AlternateIdentifier
Size
Format
Version
Rights
FundingReference

[DataCite]

#### To be Accessible

- A1. (Meta)data are retrievable by their identifier using a standardized communications protocol
  - A1.1. The protocol is **open**, free, and universally implementable
  - A1.2. The protocol allows for an **authentication** and authorization procedure, where necessary
- A2. Metadata are accessible, even when the data are no longer available

# How data accessibility might work within publications



Document citing the data

Repository housing the data


Data store

[M. Fenner et al., 2019]

#### To be Interoperable

- 11. (Meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation.
- 12. (Meta)data use vocabularies that follow FAIR principles
- 13. (Meta)data include qualified references to other (meta)data

#### Standard vocabularies



#### To be Reusable


- R1. (Meta)data are richly described with a plurality of accurate and relevant attributes
  - R1.1. (Meta)data are released with a clear and accessible data usage license
  - R1.2. (Meta)data are associated with detailed provenance
  - R1.3. (Meta)data meet domain-relevant community standards

#### Licensing

- Citation of a dataset is expected as a scholarly norm, not by law
- CC0:
  - "I hereby waive all copyright and related or neighboring rights together with all associated claims and causes of action with respect to this work to the extent possible under the law"
- CC BY: license, not a waiver as CC0
  - "You must give appropriate credit, provide a link to the license, and indicate if changes were made."
- Data Use Agreements (DUA): Used when data are restricted due to proprietary or privacy concerns.

[M. Crosas]

#### Make Data Count



[H. Cousijn et al., 2019]